Search Results -

Terms	Documents
L28 and icon\$1	1

125 3

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:











Search History

Set Name		Hit Count	Set Name result set
-	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OF	O=OR	
<u>L30</u>	L28 and icon\$1	1	<u>L30</u>
<u>L29</u>	L22 and icon\$1	3	<u>L29</u>
<u>L28</u>	L27 and (user\$1 near notification\$1)	4	<u>L28</u>
<u>L27</u>	L26 and (identif\$ same user\$1)	42	<u>L27</u>
<u>L26</u>	L25 and (session near3 user\$1)	42	<u>L26</u>
<u>L25</u>	L24 and (retriev\$3 same user\$1 same identifier\$1)	228	<u>L25</u>
<u>L24</u>	L23 and L1	1737	<u>L24</u>
<u>L23</u>	715/\$.ccls.	7231	<u>L23</u>
<u>L22</u>	L21 and (identif\$ same user\$1)	7	<u>L22</u>
<u>L21</u>	L19 and (retriev\$3 same user\$1 same identifier\$1)	7	<u>L21</u>
<u>L20</u>	L19 and (retriev\$3 same identifier\$1)	8	<u>L20</u>
<u>L19</u>	L18 and (user\$1 near notification\$1)	35	<u>L19</u>
<u>L18</u>	L5 and (session near3 user\$1)	988	<u>L18</u>
<u>L17</u>	L16 not L15	14	<u>L17</u>

<u>L16</u>	L14 and (session near3 user\$1)	21	<u>L16</u>
<u>L15</u>	L14 and (communicat\$ near session)	7	<u>L15</u>
<u>L14</u>	L13 and identification\$1	34	<u>L14</u>
<u>L13</u>	L12 and (GUI or (graphical same user same interface))	53	<u>L13</u>
<u>L12</u>	L11 and (user near identifier\$1)	105	<u>L12</u>
<u>L11</u>	(communication\$1 same aggregation same technique) or CAT	147872	<u>L11</u>
<u>L10</u>	L7 and L4	9	<u>L10</u>
<u>L9</u>	L6 and L4	41	<u>L9</u>
<u>L8</u>	L5 and L4	5	<u>L8</u>
<u>L7</u>	345/\$.ccls.	64116	<u>L7</u>
<u>L6</u>	709/\$.ccls.	30579	<u>L6</u>
<u>L5</u>	707/\$.ccls.	18239	<u>L5</u>
<u>L4</u>	L3 and (GUI or (graphical same user same interface))	97	<u>L4</u>
<u>L3</u>	L2 and (session\$1 near3 user\$1)	229	<u>L3</u>
<u>L2</u>	L1 and (user\$1 near notification\$1)	1947	<u>L2</u>
<u>L1</u>	(receiv\$3 same notification) or (retriev\$3 same identif\$)	72790	<u>L1</u>



Search Results -

Terms	Documents
L6 not L5	. 2

ナル



Search:



Search History

DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=Y	YES; OP = OR	
<u>L7</u>	L6 not L5	2	<u>L7</u>
<u>L6</u>	L3 and (icon\$1 near2 select\$4)	4	<u>L6</u>
<u>L5</u>	L3 and (icon\$1 near select\$4)	2	<u>L5</u>
<u>L4</u>	L3 and (icon\$1 same select\$4)	10	<u>L4</u>
<u>L3</u>	L2 and (user\$1 near notificat\$4)	47	<u>L3</u>
<u>L2</u>	L1 and (communicat\$4 near session\$1)	1395	<u>L2</u>
L1	709/\$.ccls.	30699	<u>L1</u>

Search Results -

Terms	Documents
L3 and (icon\$1 near select\$4)	2

イン・ マイ・

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPE	B, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=	YES; OP = OR	
<u>L5</u>	L3 and (icon\$1 near select\$4)	2	<u>L5</u>
<u>L4</u>	L3 and (icon\$1 same select\$4)	10	<u>L4</u>
<u>L3</u>	L2 and (user\$1 near notificat\$4)	47	<u>L3</u>
<u>L2</u>	L1 and (communicat\$4 near session\$1)	1395	<u>L2</u>
L1	709/\$.ccls.	30699	<u>L1</u>

Search Results -

Terms	Documents
L1 and (display\$3 near icon\$1)	67

1 time!

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

DATE: Friday, January 02, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=PC	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L2</u>	L1 and (display\$3 near icon\$1)	67	<u>L2</u>
<u>L1</u>	(GUI or (graphical near user near interface)) same icon\$1 same session\$1	167	<u>L1</u>

Search Results -

Terms	Documents
L27 and (user\$1 near notification\$1)	4

7000

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

Set Name side by side		Hit Count	Set Name result set
-	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD;	P=OR	
<u>L28</u>	L27 and (user\$1 near notification\$1)	4	<u>L28</u>
<u>L27</u>	L26 and (identif\$ same user\$1)	42	<u>L27</u>
<u>L26</u>	L25 and (session near3 user\$1)	42	<u>L26</u>
<u>L25</u>	L24 and (retriev\$3 same user\$1 same identifier\$1)	228	<u>L25</u>
<u>L24</u>	L23 and L1	1737	<u>L24</u>
<u>L23</u>	715/\$.ccls.	7231	<u>L23</u>
<u>L22</u>	L21 and (identif\$ same user\$1)	7	<u>L22</u>
<u>L21</u>	L19 and (retriev\$3 same user\$1 same identifier\$1)	7	<u>L21</u>
<u>L20</u>	L19 and (retriev\$3 same identifier\$1)	8	<u>L20</u>
<u>L19</u>	L18 and (user\$1 near notification\$1)	35	<u>L19</u>
<u>L18</u>	L5 and (session near3 user\$1)	988	<u>L18</u>
<u>L17</u>	L16 not L15	14	<u>L17</u>
<u>L16</u>	L14 and (session near3 user\$1)	21	<u>L16</u>
<u>L15</u>	L14 and (communicat\$ near session)	7	<u>L15</u>

<u>L14</u>	L13 and identification\$1	34	<u>L14</u>
<u>L13</u>	L12 and (GUI or (graphical same user same interface))	53	<u>L13</u>
<u>L12</u>	L11 and (user near identifier\$1)	105	<u>L12</u>
<u>L11</u>	(communication\$1 same aggregation same technique) or CAT	147872	<u>L11</u>
<u>L10</u>	L7 and L4	9	<u>L10</u>
<u>L9</u>	L6 and L4	41	<u>L9</u>
<u>L8</u>	L5 and L4	5	<u>L8</u>
<u>L7</u>	345/\$.ccls.	64116	<u>L7</u>
<u>L6</u>	709/\$.ccls.	30579	<u>L6</u>
<u>L5</u>	707/\$.ccls.	18239	<u>L5</u>
<u>L4</u>	L3 and (GUI or (graphical same user same interface))	97	<u>L4</u>
<u>L3</u>	L2 and (session\$1 near3 user\$1)	229	<u>L3</u>
<u>L2</u>	L1 and (user\$1 near notification\$1)	1947	<u>L2</u>
<u>L1</u>	(receiv\$3 same notification) or (retriev\$3 same identif\$)	72790	<u>L1</u>

Search Results -

Terms	Documents
L21 and (identif\$ same user\$1)	7


1263


Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:











Search History

Set Name Query	Hit Count	
side by side		result set
DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OPTION OF A STATE OF	P=OR	
<u>L22</u> L21 and (identif\$ same user\$1)	7	<u>L22</u>
<u>L21</u> L19 and (retriev\$3 same user\$1 same identifier\$1)	7	<u>L21</u>
<u>L20</u> L19 and (retriev\$3 same identifier\$1)	8	<u>L20</u>
<u>L19</u> L18 and (user\$1 near notification\$1)	35	<u>L19</u>
<u>L18</u> L5 and (session near3 user\$1)	988	<u>L18</u>
<u>L17</u> L16 not L15	14	<u>L17</u>
<u>L16</u> L14 and (session near3 user\$1)	21	<u>L16</u>
<u>L15</u> L14 and (communicat\$ near session)	7	<u>L15</u>
<u>L14</u> L13 and identification\$1	34	<u>L14</u>
<u>L13</u> L12 and (GUI or (graphical same user same interface))	53	<u>L13</u>
<u>L12</u> L11 and (user near identifier\$1)	105	<u>L12</u>
<u>L11</u> (communication\$1 same aggregation same technique) or CA	Γ 147872	<u>L11</u>
<u>L10</u> L7 and L4	9	<u>L10</u>
<u>L9</u> L6 and L4	41	<u>L9</u>

<u>L8</u>	L5 and L4	5	<u>L8</u>
<u>L7</u>	345/\$.ccls.	64116	<u>L7</u>
<u>L6</u>	709/\$.ccls.	30579	<u>L6</u>
<u>L5</u>	707/\$.ccls.	18239	<u>L5</u>
<u>L4</u>	L3 and (GUI or (graphical same user same interface))	97	<u>L4</u>
<u>L3</u>	L2 and (session\$1 near3 user\$1)	229	<u>L3</u>
<u>L2</u>	L1 and (user\$1 near notification\$1)	1947	<u>L2</u>
L1	(receiv\$3 same notification) or (retriev\$3 same identif\$)	72790	<u>L1</u>

Search Results -

Terms	Documents
(L31 or L32 or L33 or L34 or L35) and L4	11

130 3

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:











Search History

Set Nam	e Query	Hit Count	
side by sid	e		result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OR STAND STANDS AND ST	P = OR	
<u>L36</u>	(L31 or L32 or L33 or L34 or L35) and L4	11	<u>L36</u>
<u>L35</u>	715/516.ccls.	86	<u>L35</u>
<u>L34</u>	709/226-228.ccls.	3480	<u>L34</u>
<u>L33</u>	345/762.ccls.	297	<u>L33</u>
<u>L32</u>	345/661.ccls.	79	<u>L32</u>
<u>L31</u>	345/650.ccls.	26	<u>L31</u>
<u>L30</u>	L28 and icon\$1	1	<u>L30</u>
<u>L29</u>	L22 and icon\$1	3	<u>L29</u>
<u>L28</u>	L27 and (user\$1 near notification\$1)	4	<u>L28</u>
<u>L27</u>	L26 and (identif\$ same user\$1)	42	<u>L27</u>
<u>L26</u>	L25 and (session near3 user\$1)	42	<u>L26</u>
<u>L25</u>	L24 and (retriev\$3 same user\$1 same identifier\$1)	228	<u>L25</u>
<u>L24</u>	L23 and L1	1737	<u>L24</u>
<u>L23</u>	715/\$.ccls.	7231	<u>L23</u>

<u>L22</u>	L21 and (identif\$ same user\$1)	7	<u>L22</u>
<u>L21</u>	L19 and (retriev\$3 same user\$1 same identifier\$1)	7	<u>L21</u>
<u>L20</u>	L19 and (retriev\$3 same identifier\$1)	8	<u>L20</u>
<u>L19</u>	L18 and (user\$1 near notification\$1)	35	<u>L19</u>
<u>L18</u>	L5 and (session near3 user\$1)	988	<u>L18</u>
<u>L17</u>	L16 not L15	14	<u>L17</u>
<u>L16</u>	L14 and (session near3 user\$1)	21	<u>L16</u>
<u>L15</u>	L14 and (communicat\$ near session)	7	<u>L15</u>
<u>L14</u>	L13 and identification\$1	34	<u>L14</u>
<u>L13</u>	L12 and (GUI or (graphical same user same interface))	53	<u>L13</u>
<u>L12</u>	L11 and (user near identifier\$1)	105	<u>L12</u>
<u>L11</u>	(communication\$1 same aggregation same technique) or CAT	147872	<u>L11</u>
<u>L10</u>	L7 and L4	9	<u>L10</u>
<u>L9</u>	L6 and L4	41	<u>L9</u>
<u>L8</u>	L5 and L4	5	<u>L8</u>
<u>L7</u>	345/\$.ccls.	64116	<u>L7</u>
<u>L6</u>	709/\$.ccls.	30579	<u>L6</u>
<u>L5</u>	707/\$.ccls.	18239	<u>L5</u>
<u>L4</u>	L3 and (GUI or (graphical same user same interface))	97	<u>L4</u>
<u>L3</u>	L2 and (session\$1 near3 user\$1)	229	<u>L3</u>
<u>L2</u>	L1 and (user\$1 near notification\$1)	1947	<u>L2</u>
<u>L1</u>	(receiv\$3 same notification) or (retriev\$3 same identif\$)	72790	<u>L1</u>

Search Results -

Terms	Documents
L37 and (session near3 user\$1)	2

122


US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database


Database:


US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:











Search History

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB=Pc	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L38</u>	L37 and (session near3 user\$1)	2	<u>L38</u>
<u>L37</u>	(5606702 or 5815142 or 6154465 or 6167366 or 6212548 or 6266701).pn.	12	<u>L37</u>
<u>L36</u>	(L31 or L32 or L33 or L34 or L35) and L4	11	<u>L36</u>
<u>L35</u>	715/516.ccls.	86	<u>L35</u>
<u>L34</u>	709/226-228.ccls.	3480	<u>L34</u>
<u>L33</u>	345/762.ccls.	297	<u>L33</u>
<u>L32</u>	345/661.ccls.	79	<u>L32</u>
<u>L31</u>	345/650.ccls.	26	<u>L31</u>
<u>L30</u>	L28 and icon\$1	1	<u>L30</u>
<u>L29</u>	L22 and icon\$1	3	<u>L29</u>
<u>L28</u>	L27 and (user\$1 near notification\$1)	4	<u>L28</u>
<u>L27</u>	L26 and (identif\$ same user\$1)	42	<u>L27</u>

<u>L26</u>	L25 and (session near3 user\$1)	42	<u>L26</u>
<u>L25</u>	L24 and (retriev\$3 same user\$1 same identifier\$1)	228	<u>L25</u>
<u>L24</u>	L23 and L1	1737	<u>L24</u>
<u>L23</u>	715/\$.ccls.	7231	<u>L23</u>
<u>L22</u>	L21 and (identif\$ same user\$1)	7	<u>L22</u>
<u>L21</u>	L19 and (retriev\$3 same user\$1 same identifier\$1)	7	<u>L21</u>
<u>L20</u>	L19 and (retriev\$3 same identifier\$1)	8	<u>L20</u>
<u>L19</u>	L18 and (user\$1 near notification\$1)	35	<u>L19</u>
<u>L18</u>	L5 and (session near3 user\$1)	988	<u>L18</u>
<u>L17</u>	L16 not L15	14	<u>L17</u>
<u>L16</u>	L14 and (session near3 user\$1)	21	<u>L16</u>
<u>L15</u>	L14 and (communicat\$ near session)	7	<u>L15</u>
<u>L14</u>	L13 and identification\$1	34	<u>L14</u>
<u>L13</u>	L12 and (GUI or (graphical same user same interface))	53	<u>L13</u>
<u>L12</u>	L11 and (user near identifier\$1)	105	<u>L12</u>
<u>L11</u>	(communication\$1 same aggregation same technique) or CAT	147872	<u>L11</u>
<u>L10</u>	L7 and L4	9	<u>L10</u>
<u>L9</u>	L6 and L4	41	<u>L9</u>
<u>L8</u>	L5 and L4	5	<u>L8</u>
<u>L7</u>	345/\$.ccls.	64116	<u>L7</u>
<u>L6</u>	709/\$.ccls.	30579	<u>L6</u>
<u>L5</u>	707/\$.ccls.	18239	<u>L5</u>
<u>L4</u>	L3 and (GUI or (graphical same user same interface))	97	<u>L4</u>
<u>L3</u>	L2 and (session\$1 near3 user\$1)	229	<u>L3</u>
<u>L2</u>	L1 and (user\$1 near notification\$1)	1947	<u>L2</u>
<u>L1</u>	(receiv\$3 same notification) or (retriev\$3 same identif\$)	72790	<u>L1</u>

Search Results -

Terms	Documents
L7 and (participant near identifier)	4

/ u

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:











Search History

DATE: Tuesday, June 22, 2004 Printable Copy Create Case

Set Name	Hit Count	<u>Set Name</u>	
side by sid	e		result set
DB=PC	$GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; \ PLUR = YES; \ CONTRACTORS AND ASSESSMENT OF STREET $	OP = OR	
<u>L8</u>	L7 and (participant near identifier)	4	<u>L8</u>
<u>L7</u>	L6 and identify\$	270	<u>L7</u>
<u>L6</u>	L5 and ((communicat\$ near session\$1) same user\$1)	321	<u>L6</u>
<u>L5</u>	L4 and (communicat\$ near session\$1)	597	<u>L5</u>
<u>L4</u>	L3 and (communicat\$ same session\$1)	1750	<u>L4</u>
<u>L3</u>	L2 and communicat\$	14987	<u>L3</u>
<u>L2</u>	L1 and access\$4	17565	<u>L2</u>
L1	(GUI or (graphical near user near interface)) same display\$3	3 23343	L1

Hit List



Search Results - Record(s) 1 through 4 of 4 returned.

☐ 1. Document ID: US 20030065955 A1

Using default format because multiple data bases are involved.

L8: Entry 1 of 4

File: PGPB

Apr 3, 2003

PGPUB-DOCUMENT-NUMBER: 20030065955

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030065955 A1

TITLE: Selection and interconnection of computer-based communications techniques

PUBLICATION-DATE: April 3, 2003

INVENTOR-INFORMATION:

NAME CITY STATE COUNTRY RULE-47

Kumhyr, David B. Austin TX US
MacPhail, Margaret Gardner Austin TX US

US-CL-CURRENT: <u>713/202</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

☐ 2. Document ID: US 20030065723 A1

L8: Entry 2 of 4

File: PGPB

Apr 3, 2003

PGPUB-DOCUMENT-NUMBER: 20030065723

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030065723 A1

TITLE: Computer-based communication using multiple communications channels

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 3. Document ID: US 20030065666 A1

L8: Entry 3 of 4

File: PGPB

Apr 3, 2003

PGPUB-DOCUMENT-NUMBER: 20030065666

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030065666 A1

h eb bgeeef eh ef be

Apr 3, 2003

TITLE: Method, system and program for switching between various computer-based communication techniques

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draws De

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20030063121

PGPUB-FILING-TYPE: new

L8: Entry 4 of 4

DOCUMENT-IDENTIFIER: US 20030063121 A1

TITLE: Determining availability of participants or techniques for computer-based

communication

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. De
<u> (Clear</u>		Gener	ico ele	lection	Pint		wd Refs	Elwe	Refs	Gener	e(e 0/2	(68)
		ms and (par	ticipa	nt near	identifier)				Documents	S	4	

Display Format: - Change Format

Previous Page Next Page Go to Doc#

ef



Search Results -

Terms	Documents
L16 and L1	25

124

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database

Database:

Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L17











Search History

DATE: Sunday, June 20, 2004 Printable Copy Create Case

Set Name		Hit Count	Set Name result set
DB=P	GPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES,	OP = OR	
<u>L17</u>	L16 and L1	25	<u>L17</u>
<u>L16</u>	L15 and (communication same application same session)	661	<u>L16</u>
<u>L15</u>	L14 and (session near3 user\$1)	2548	<u>L15</u>
<u>L14</u>	709/\$.ccls.	29298	<u>L14</u>
<u>L13</u>	L12 and (communication near application)	33	<u>L13</u>
<u>L12</u>	L11 and (communication same application same session)	139	<u>L12</u>
<u>L11</u>	L10 and (session near3 user\$1)	1153	<u>L11</u>
<u>L10</u>	707/\$.ccls.	21003	<u>L10</u>
<u>L9</u>	L8 and (session near3 user\$1)	13	<u>L9</u>
<u>L8</u>	L4 and ((user\$1 or participant\$1) near identifier)	14	<u>L8</u>
<u>L7</u>	L4 and (session near2 user\$1)	17	<u>L7</u>
<u>L6</u>	L4 and (session near3 user\$1)	54	<u>L6</u>
<u>L5</u>	L4 and (communication same application same session)	38	<u>L5</u>
<u>L4</u>	L2 and (communication near application)	93	<u>L4</u>

<u>L1</u>

<u>L3</u>

<u>L2</u>

<u>L1</u>

-	_
4	

L2 and (communication same application)	650	<u>L3</u>
L1 and session\$	2269	<u>L2</u>

CAT or (communication near aggragation near technique) 154886

END OF SEARCH HISTORY

L1 and session\$